



PEAK
DENTAL STUDIO

1064 S North County Blvd Suite #430
Pleasant Grove, UT 84602
support@peakdentalstudio.com
www.peakdentalstudio.com
801.850.8758

Office: _____ Rx's Date: _____ Due Date: _____

Patient: _____ Doctor: _____ ☐ New Case ☐ Remake ☐ Male ☐ Female

Enclosed with case: ☐ Impression ☐ Bite ☐ Model ☐ Teeth ☐ Shade Tab ☐ Articulator ☐ Other _____

REMOVABLES

(1) Product

Denture

- ☐ Acrylic
☐ Premium Acrylic
☐ Flexible

Partial

- ☐ Flexible
☐ Acrylic
☐ Metal Framework
☐ Clear Framework

(2) Step


- ☐ One-Step Direct Finish
☐ Multi-Step Finish (**select one**)
☐ (1) Bite Block
☐ (2) Wax Try-In (includes framework if selected)
☐ (3) Process
☐ Repair
☐ Reline: ___Hard ___Soft

(3) Extractions

- ☐ No Extractions
☐ Extract Tooth #: _____

(4) Other

- ☐ Wire Clasp
☐ Flexible Clasp
☐ Clear Esthetic Clasp
☐ Metal Mesh
☐ Custom Tray



ORTHO APPLIANCES

- ☐ Nightguard: ___Hard ___Soft ___Hard/Soft
☐ Essix Retainer ☐ Bionator
☐ Spring Appliance ☐ Silensor: ___Hard ___Soft
☐ Tongue Barrier ☐ NTI Splint
☐ Twin Blocks ☐ Sport Guard
☐ Roberts Appliance ☐ Hawley Retainer
☐ Hyrax RPE ☐ Begg Retainer
☐ Quad Helix ☐ Nance Appliance
☐ Screw Appliance ☐ Space Maintainer
☐ Andersen ☐ Ling. Arch Space Maint.

FIXED RESTORATIONS

☐ Crown ☐ Bridge

All Ceramic

- ☐ BruxZir Zirconia
☐ Full Contour Zirconia
☐ High Translucent Zirc.
☐ Layered Esthetic Zirc.
☐ Porcelain Fused to Zirc.
☐ Emax Crown
☐ Emax Veneer
☐ Inlay/Onlay Zirconia
☐ Inlay/Onlay Emax

Porcelain Fused to Metal

- ☐ PFM Non Precious
☐ PFM Semi Precious
☐ PFM High Noble

Full Cast Restoration

- ☐ Non Precious
☐ Semi Precious
☐ High Noble
☐ Post and Core
☐ Full Gold

On Implant

- ☐ Doctor Provide Abutment
☐ Zirconia Custom Abutment
☐ Titanium Custom Abutment
☐ Screw Retained
☐ Cement Retained

System & Size: _____

Other

- ☐ Diagnostic Wax Up ☐ Bleaching Trays ☐ Study Model

PREFERENCES

If No Occlusal Clearance

- ☐ Reduction Coping
☐ Adjust Opposing
☐ Metal Occlusion

Stain

- ☐ No
☐ Light
☐ Heavy


Metal Design



Pontic Design




Proximal Contact



Occlusal Contact



Embrasure



INSTRUCTIONS:

Shade: _____

Stump Shade: _____

Doctor Signature _____